

| 国家：乌兹别克斯坦   |   | 日期：2015年1月30日  |  |
|---|---|--|--|
| 所需证明文件<br>(即经执业医师或授权卫生主管部门<br>签发/批准的证明文件)   | 限制<br>(即质量和(或)数量方面的限制)  | 国家主管部门<br>(如需了解进一步详情,<br>请与国家主管部门联系)   |  |
| (a) 有效的医生处方 <input type="checkbox"/>  | 天数 / 数量/剂量<br>允许经由乌兹别克斯坦共和国领土过境(中转)的患者持有治疗所需的受乌兹别克斯坦共和国国家管制的麻醉药品和精神药物:<br>麻醉药品数量不超过7天的治疗剂量;<br>精神药物数量不超过15天的治疗剂量。   | Drug Control Committee of the Central Directorate for Quality Control of Medicines and Medical Equipment of the Ministry of Health of the Republic of Uzbekistan<br><br>Address: Proezd K. Umarova, dom 16, ul. Tashkent 100002, Uzbekistan<br>Tel.: (99871) 242 84 59<br>Fax: (99871) 242 84 59<br>e-mail: uzkomitet@rambler.ru |  |
| (b) 经居住国卫生主管部门核准的医生证明 <input type="checkbox"/>  | <p><b>List of narcotic drugs, the trafficking of which is prohibited in the Republic of Uzbekistan (List I):</b></p> <ol style="list-style-type: none"> <li>1. Allylprodine</li> <li>2. Alphameprodine</li> <li>3. Alphamethadol</li> <li>4. <i>alpha</i>-Methylfentanyl</li> <li>5. <i>alpha</i>-Methylthiofentanyl</li> <li>6. <i>alpha</i>-Prodine</li> <li>7. Alphacetylmethadol</li> <li>8. Anileridine</li> <li>9. Acetyl-<i>alpha</i>-methylfentanyl</li> <li>10. Acetyldihydrocodeine</li> <li>11. Acetylated opium</li> <li>12. Acetylcodeine</li> <li>13. Acetylmethadol</li> <li>14. Acetorphine</li> <li>15. BDB [1-(3,4-Methylenedioxyphenyl)-2 butanamine]</li> <li>16. Bezitramide</li> <li>17. Benzethidine</li> <li>18. Benzylmorphine</li> <li>19. <i>beta</i>-Hydroxy-3-methylfentanyl</li> <li>20. Betahydroxyfentanyl</li> <li>21. Betameprodine</li> <li>22. Betamethadol</li> <li>23. Betaprodine</li> <li>24. Betacetylmethadol</li> <li>25. Hashish (Hash, Cannabis resin)</li> <li>26. Heroin (Diacetylmorphine)</li> <li>27. Hydrocodone</li> <li>28. Hydrocodone phosphate</li> </ol> |  |  |
| (c) 由目的地国卫生主管部门签发的证明 <input type="checkbox"/>   |   |  |  |
| (d) 向目的地国海关出示原始处方 <input type="checkbox"/>  |   |  |  |
| (e) 如有其他类型的文件, 请予说明 <input checked="" type="checkbox"/>   |   |  |  |
| <p>1. 患者居住国医疗机构开具的证明(主治医生报告), 证明患者所患疾病需用麻醉药品或精神药物治疗, 标明所涉麻醉药品或精神药物的名称、药品形式和数量及医生处方的疗程;</p> <p>2. 确认所涉麻醉药品或精神药物使用合法的证明(处方复印件)。</p> |   |  |  |

29. N-hydroxy-MDA
30. Hydromorphenol
31. Hydromorphone
32. Desomorphine
33. Dexamfetamine
34. Diampromide
35. Diacetylmorphine
36. Dihydromorphine
37. Dimenoxadol
38. N-Dimethylamphetamine
39. Dimepheptanol
40. Dimethylthiambutene
41. Dioxaphetyl butyrate
42. Dipipanone
43. Difenoxin
44. Diethylthiambutene
45. DMA (d,l-Dimethoxyalpha-methyl-phenyl-ethylamine)
46. DMHP (Dimethylheptylpyran)
47. DMT (Dimethyltryptamine)
48. DOB (d,l-2,5-Dimethoxy-4-bromoamphetamine)
49. DOC (d,l-2,5-Dimethoxy-4-chloroamphetamine)
50. DOET (d,l-2,5-Dimethoxy-4-ethylamphetamine)
51. Drotebanol
52. DET (N,N-Diethyltryptamine)
53. Isomethadone
54. Cannabis, Marijuana
55. CAT
56. Cathine (d-Norpseudoephedrine)
57. Cathinone (1-alpha-Aminopropiophenone)
58. Ketobemidone
59. Clonitazene
60. Codoxime
61. Coca bush
62. Home-made preparations from ephedrine or from preparations containing ephedrine
63. Home-made preparations from pseudoephedrine or from preparations containing pseudoephedrine
64. Levomethorphan
65. Levomoramide

66. Levorphanol
67. Levophenacymorphan
68. Lysergic acid and preparations therefrom, including (d-Lysergide (LSD, LSD-25)
69. Coca leaf
70. Poppy straw
71. Cannabis oil (Hash oil)
72. MBDB [N-Methyl-1-(3,4-Methylenedioxyphenyl)-2 butanamine]
73. MDA (Tenamfetamine)(MOA)
74. MDMA (d,l-3,4-Methylenedioxy-N-*alpha*-dimethyl-phenylethylamine)
75. Mecloqualone
76. Methaqualone
77. 4-Methylaminorex
78. Methylphenidate (Ritalin)
79. 3-Monoacetylmorphine
80. 6-Monoacetylmorphine
81. Mescaline
82. Methadone
83. d-Methadone
84. l-Methadone
85. Methadone intermediate (4-cyano-2-dimethylamino-4,4-diphenylbutane)
86. Metazocine
87. Methamphetamine
88. Methylodesorphine
89. Methyl dihydromorphine
90. 3-Methylthiofentanyl
91. 3-Methylfentanyl
92. N-Methylephedrone
93. Metopon
94. Myrophine
95. Milky sap from different types of poppy, containing poppy alkaloids included in the lists of narcotic drugs and psychotropic substances
96. MMDA (2-Methoxy-alpha-4-methyl-4,5-(methylenedioxy)-phenethylamine)
97. Moramide intermediate (2-methyl-3-morpholino-1,1-diphenylpropane carboxylic acid)
98. Morpheridine
99. Morphine methylbromide and other pentavalent nitrogen morphine derivatives
100. Morphine-N-oxide
101. MPPP (1-Methyl-4-phenyl-4-piperidinol propionate (ester))

|  |   |  |
|--|---|--|
|  | <p>102. Nicodicodine<br/> 103. Nicocodeine<br/> 104. Nicomorphine<br/> 105. Noracymethadol<br/> 106. Norcodeine<br/> 107. Norlevorphanol<br/> 108. Normethadone<br/> 109. Normorphine<br/> 110. Norpipanone<br/> 111. Oxycodone<br/> 112. Oxymorphone<br/> 113. Opium (including medicinal opium)-coagulated juice of the species <i>Papaver somniferum</i> L. , or opium poppy<br/> 114. Opium poppy, plant of the species <i>Papaver somniferum</i> L.<br/> 115. Oripavine<br/> 116. Para-fluorofentanyl<br/> 117. Parahexyl<br/> 118. PEPAP (1-phenethyl-4-phenyl-4-piperidinol acetate (ester))<br/> 119. Pethidine<br/> 120. Pethidine intermediate A (4 -cyano-1-methyl-4-phenylpiperidine)<br/> 121. Piminodine<br/> 122. The fruit body (any part) of any kind of mushroom containing Psilocybin and (or) Psilocin<br/> 123. PMA (4-Methoxy-<i>alpha</i>-methylphenyl-ethylamine)<br/> 124. Proheptazine<br/> 125. Properidine<br/> 126. Propiram<br/> 127. Psilocybin<br/> 128. Psilocin<br/> 129. Racemethorphan<br/> 130. Racemoramide<br/> 131. Racemorphan<br/> 132. Rolicyclidine<br/> 133. 2C-B (4-Bromo-2,5-dimethoxyphenethylamine)<br/> 134. STP (DOM) [2-Amino-1-(2,5-dimethoxy-4-methyl)phenylpropane]<br/> 135. Thebacon<br/> 136. Tenocyclidine<br/> 137. Tetrahydrocannabinol (all isomers)<br/> 138. Thiofentanyl</p> |  |
|--|---|--|

139. TMA (d,l-3,4,5-Trimethoxy-*alpha*-methylphenyl-amine)
140. Phenadoxone
141. Phenadone
142. Phenazocine
143. Phenampromide
144. Phenatin
145. Phencyclidine
146. Phenomorphan
147. Phenoperidine
148. Pholcodine
149. Furethidine
150. Ecgonine
151. Extract of poppy straw (concentrate of poppy straw)
152. N-Ethyl-MDA (d,l-Ethyl-*alpha*-methyl-3,4-(methylenedioxy)-phenethylamine)
153. Ethylmethylthiambutene
154. Eticyclidine
155. Etoxadine
156. Etonitazene
157. Etorphine
158. Etryptamine
159. Ephedrone

**Note: Controls apply to:**

all the agents and substances given in the list, under whichever brand names or synonyms they appear;

the isomers, unless specifically excepted, of the drugs in this list whenever the existence of such isomers is possible within the specific chemical designation;

the esters and ethers of the drugs in this list;

the salts of all the drugs in this list, where the existence of such salts is possible;

all mixtures comprising drugs from this list, irrespective of the amount thereof.

**List of narcotic drugs, the trafficking of which is prohibited in the Republic of Uzbekistan (List II):**

1. Alfentanil
2. p-Aminopropiophenone (PAPP) and its optical isomers (antidote to cyanides)
3. Amobarbital

|  |  |  |
|--|--|--|
|  | <p>4. Amfepramone</p> <p>5. Amphetamine and combined medicinal preparations containing Phenamine (amphetamine)</p> <p>6. Buprenorphine</p> <p>7. Butorphanol</p> <p>8. Glutethimide</p> <p>9. Dextromoramide</p> <p>10. Dextropropoxyphene</p> <p>11. Dihydrocodeine</p> <p>12. Diphenoxylate</p> <p>13. Codeine</p> <p>14. Codeine phosphate</p> <p>15. Cocaine</p> <p>16. Cocaine hydrochloride</p> <p>17. Codeine-N-oxide</p> <p>18. Levamfetamine</p> <p>19. Morphine</p> <p>20. Morphine hydrochloride</p> <p>21. Morphine sulphate</p> <p>22. Morphilongum</p> <p>23. Omnopon</p> <p>24. Pentazocine</p> <p>25. Piritramide</p> <p>26. Propiram</p> <p>27. Prosidol</p> <p>28. Properidine</p> <p>29. Preparations of Acetyldihydrocodeine, Dihydrocodeine, Codeine, Nicodicodine, Nicocodine, Norcodeine, Pholcodine and Ethylmorphine when compounded with one or more other ingredients and containing not more than 100 milligrams of the drug per dosage unit and with a concentration of not more than 2.5 per cent in undivided preparations.</p> <p>30. Preparations of Propiram containing not more than 100 milligrams of Propiram per dosage unit and compounded with at least the same amount of methylcellulose.</p> <p>31. Preparations of Dextropropoxyphene for oral use containing not more than 135 milligrams of Dextropropoxyphene base per dosage unit or with a concentration of not more than 2.5 per cent in undivided preparations, provided that such preparations do not contain any substance controlled under the 1971 Convention on Psychotropic Substances.</p> |  |
|--|--|--|

|  |   |  |
|--|---|--|
|  | <p>32. Preparations of Cocaine containing not more than 0.1 per cent of Cocaine calculated as Cocaine base, and preparations of Opium and Morphine containing not more than 0.2 per cent of Morphine calculated as Anhydrous morphine base and compounded with one or more other ingredients and in such a way that the drug cannot be recovered by readily applicable means or in a yield which would constitute a risk to public health.</p> <p>33. Preparations of Difenoxin containing, per dosage unit, not more than 0.5 milligram of Difenoxin and a quantity of Atropine sulfate equivalent to at least 5 per cent of the dose of Difenoxin.</p> <p>34. Preparations of Diphenoxylate containing, per dosage unit, not more than 2.5 milligrams of Diphenoxylate calculated as base and a quantity of Atropine sulfate equivalent to at least 1 per cent of the dose of Diphenoxylate.</p> <p>35. Preparations: Pulvis ipecacuanhae et opii compositus<br/> 10 per cent Opium in powder<br/> 10 per cent ipecacuanha root, in powder well mixed with 80 per cent of any other powdered ingredient containing no drug.</p> <p>36. Preparations conforming to any of the formulas listed in this List and mixtures of such preparations with any material which contains no drug.</p> <p>37. Reasec</p> <p>38. Remifentanil</p> <p>39. Tilidine suppositories in various dosages</p> <p>40. Sombrevin</p> <p>41. Sufentanil</p> <p>42. Alnagon tablets (Codeine phosphate 20 mg, Caffeine 80 mg, Phenobarbital 20 mg, Acetylsalicylic acid 20 mg).</p> <p>43. Tablets (Codeine camphosulfonate 0.025 g, Sulfogaiacol 0.1 g, Grindelia soft extract 0.017 g)</p> <p>44. Tablets of Codeine 0.03 g + Paracetamol 0.5 g</p> <p>45. Tablets of Codeine phosphate 0.015 g + Sugar 0.25 g</p> <p>46. Tablets of Codeine 0.01 g, 0.015 g + Sugar 0.25 g</p> <p>47. Tablets of Codeine 0.015 g + Sodium hydrocarbonate 0.25 g</p> <p>48. Tablets of Codterpin (Codeine 0.015 g + Sodium hydrocarbonate 0.25 g + Terpin hydrate 0.25 g)</p> <p>49. Antitussive tablets. Composition: powdered Thermopsis 0.01 g (0.02 g), Codeine 0.02 g (0.01 g), Sodium hydrocarbonate 0.2 g, powdered Liquorice root 0.2 g.</p> <p>50. Thebaine</p> <p>51. Tilidine</p> |  |
|--|---|--|

|  |  |
|--|--|
|  | <p>52. Trimeperidine<br/> 53. Fentanyl<br/> 54. Phenmetrazine<br/> 55. Zipeprol<br/> 56. Ethylmorphine<br/> 57. Escodolum<br/> 58. Aestocin<br/> 59. Aestocin hydrochloride<br/> 60. Ethylmorphine hydrochloride<br/> 61. Ethaminal sodium</p> <p><b>Note: Controls apply to:</b></p> <p>all the agents and substances given in the list, under whichever brand names or synonyms they appear;<br/> the isomers, unless specifically excepted, of the drugs in this list whenever the existence of such isomers is possible within the specific chemical designation;<br/> the esters and ethers of the drugs in this list;<br/> the salts of all the drugs in this list, where the existence of such salts is possible;</p> <p><i>Paragraph 6 is set out in point 1(b) of Appendix No. 2 to Decision No. 315 of 16.07.2003 of the Cabinet of Ministers of the Republic of Uzbekistan (see previous versions)</i></p> <p>preparations containing drugs in this list, regardless of the quantity thereof or the presence of neutral components (water, starch, sugar, sodium bicarbonate, talc, etc.).</p> <p><i>Paragraph 7 was introduced in accordance with point 1(b) of Appendix No. 2 to Decision No. 315 of 16.07.2003 of the Cabinet of Ministers of the Republic of Uzbekistan.</i></p> <p>Combined medicinal preparations containing, besides a basic controlled drug, other pharmacologically active components are controlled individually through inclusion in the present list.</p> <p><b>List of psychotropic substances, the trafficking of which is prohibited in the Republic of Uzbekistan (List III):</b></p> <p>1. Allobarbital*<br/> 2. Alprazolam*<br/> 3. Aminorex*<br/> 4. Aprofen<br/> 5. Barbital*</p> |
|--|--|

6. Barbitol sodium
7. Benzfetamine\*
8. Bromazepam\*
9. Bromisoval
10. Butalbital\*
11. Butobarbital\*
12. Vinylbital\*
13. Halazepam\*
14. Haloxazolam\*
15. Halothane
16. Dextroamphetamine
17. Delorazepam\*
18. Diazepam\*
19. Droperidol
20. Camazepam\*
21. Ketazolam\*
22. Ketamine
23. Clobazam\*
24. Cloxazolam\*
25. Clonazepam\*
26. Clorazepate\*
27. Clotiazepam\*
28. Clonidine hydrochloride
29. Levomethamphetamine\*
30. Lefetamine\*
31. Loprazolam\*
32. Lorazepam\*
33. Lormetazepam\*
34. Mazindol\*
35. Medazepam\*
36. Midazolam\*
37. Mesocarb\*
38. Meprobamate\*
39. Methylphenobarbital\*
40. Methyprylon\*
41. Mefenorex\*
42. Mephobarbital\*
43. Sodium oxybutyrate
44. Nimetazepam\*
45. Nitrazepam\*

|  |   |  |
|--|---|--|
|  | <p>46. Nordazepam*</p> <p>47. Oxazepam*</p> <p>48. Oxazolam*</p> <p>49. Pemoline*</p> <p>50. Pentobarbital*</p> <p>51. Pinazepam*</p> <p>52. Pipradrol*</p> <p>53. Pyrovalerone*</p> <p>54. Prazepam*</p> <p>55. Pseudoephedrine*</p> <p>56. Pseudoephedrine in combined medicinal agents:</p> <ol style="list-style-type: none"> <li>1. Capsules (Paracetamol 0.25 g, Pseudoephedrine hydrochloride 0.03 g, Chlorpheniramine maleate 0.00625 g, Dextromethorphan hydrobromide 0.01 g).</li> <li>2. Capsules (Paracetamol 0.25 g, Pseudoephedrine hydrochloride 0.03 g, Chlorpheniramine maleate 0.002 g, Dextromethorphan hydrobromide 0.01 g).</li> <li>3. Capsules (Paracetamol 0.25 g, Pseudoephedrine hydrochloride 0.03 g, Doxylamine succinate 0.00625 g, Dextromethorphan hydrobromide 0.01 g). Anti-flu.</li> <li>4. Powders (Paracetamol 0.65 g, Pseudoephedrine hydrochloride 0.06 g, Dextromethorphan hydrobromide 0.02 g, Chlorpheniramine maleate 0.004 g)</li> <li>5. Powders (Paracetamol 0.65 g, Chlorpheniramine 0.004 g, Pseudoephedrine hydrochloride 0.06 g). Theraflu.</li> <li>6. Syrup (Paracetamol 0.0338 g/ml, Pseudoephedrine hydrochloride 0.002 g/ml, Dextromethorphan hydrobromide 0.001 g/ml).</li> <li>7. Syrup (Pseudoephedrine hydrochloride 0.03 g/5 ml, Triprolidine hydrochloride 0.000125 g/5 ml).</li> <li>8. Syrup (Paracetamol 0.0338 g/5 ml, Pseudoephedrine hydrochloride 0.0202 g/5 ml, Dextromethorphan hydrobromide 0.001 g/5 ml).</li> <li>9. Syrup mixture (Pseudoephedrine hydrochloride 0.03 g, Guaifenesin hydrochloride 0.1 g).</li> <li>10. Solution for drinking (Pseudoephedrine hydrochloride 0.08 g/5 ml, Bromhexine 0.004 g/5 ml).</li> <li>11. Tablets (Pseudoephedrine hydrochloride 0.06 g, Triprolidine hydrochloride 0.0025 g).</li> <li>12. Tablets (Ibuprofen 0.2 g, Pseudoephedrine hydrochloride 0.03 g).</li> </ol> |  |
|--|---|--|

13. Tablets (Pseudoephedrine hydrochloride 0.06 g, Bromhexine 0.008 g).

- 57. Metamfetamine racemate\*
- 58. Secbutabarbital\*
- 59. Temazepam\*
- 60. Tetrazepam\*
- 61. Thiopental sodium
- 62. Triazolam\*
- 63. Trihexyphenidyl hydrochloride
- 64. Phenazepam
- 65. Phendimetrazine\*
- 66. Fencamfamin
- 67. Phenobarbital\*
- 68. Fenproporex\*
- 69. Phentermine\*
- 70. Feprosidnine hydrochloride
- 71. Fludiazepam\*
- 72. Flunitrazepam\*
- 73. Flurazepam\*
- 74. Chlordiazepoxide\*
- 75. Cephedrine
- 76. Cyclobarbital\*
- 77. Estazolam\*
- 78. Ethylamphetamine\*
- 79. Ethyl loflazepate\*
- 80. Ethinamate\*
- 81. Ethchlorvynol\*
- 82. Ephedrine hydrochloride

\* Preparation included on list of substances under international control.

**Note: Controls apply to:**

all the agents and substances given in the list, under whichever brand names or synonyms they appear;

the isomers, unless specifically excepted, of the psychotropic substances in this list whenever the existence of such isomers is possible within the specific chemical designation;

the esters and ethers of the psychotropic substances in this list;

the salts of all the psychotropic substances in this list, where the existence of such salts is possible;

|  |   |  |
|--|---|--|
|  | <p><i>Paragraph 6 is set out in point 1(b) of Appendix No. 2 to Decision No. 315 of 16.07.2003 of the Cabinet of Ministers of the Republic of Uzbekistan (see previous versions)</i></p> <p>preparations containing psychotropic substances in this list, regardless of the quantity thereof or the presence of neutral components (water, starch, sugar, sodium bicarbonate, talc, etc.).</p> <p><i>Paragraph 7 was introduced in accordance with point 1(b) of Appendix No. 2 to Decision No. 315 of 16.07.2003 of the Cabinet of Ministers of the Republic of Uzbekistan.</i></p> <p>Combined medicinal preparations containing, besides a basic controlled psychotropic substance, other pharmacologically active components are controlled individually through inclusion in the present list.</p> |  |
|--|---|--|